





JACKS CATALOG

JACKS CATALOG NORTHFIELD OFFERS A COMPLETE LINE OF SQUARE AND ROUND TONGUE JACKS. OUR CAPACITY RANGES FROM 2,000LB TO 12,000LB SUPPORT.



ISO 9001:2008 Certified Company

SQUARE JACK LINE

Northfield No.	Type of	Length of	From the t		Overall Retracted	Mounting	Mounting	Pin	Foot	Wt.
	Wind	Travel	Retracted Length	Extended Length	Length	Style	Bracket	Size	Size	lbs.
2,000 lbs. Suppor	t Capacity;	Tube M	ount Rou	nd; Fixec	l Leg; Sq	uare Jack	(
Heavy Duty 2,000 lb. T matching male mount								c foot,		
HD200-TWS-TMR-PZ	Topwind	10″	11.0″	21.0″	15.0″	Tube	Male Included	9/16″	4X8	13.5
HD200-TWL-TMR-PZ	Topwind	15″	14.5″	29.5″	24.5″	Tube	Male Included	9/16″	4X8	16
HD200-SWS-TMR-PZ	Sidewind	10″	10.75″	20.75″	17.125″	Tube	Male Included	9/16″	4X8	14
HD200-SWL-TMR-PZ	Sidewind	15″	14.625″	29.625″	26.57"	Tube	Male Included	9/16″	4X8	16.5
5,000 lbs. Support	t Capacity;	Tube Mo	unt Rour	nd; Fixed	Leg; Squ	are Jack				
Heavy Duty 5,000 lb To matching male mount								c foot,		
HD500-TWS-TMR-PZ	Topwind	10″	11.25″	21.25″	15.10″	Tube	Male Included	9/16″	4X8	14.5
HD500-TWL-TMR-PZ	Topwind	15″	14.625″	29.625″	24.5″	Tube	Male Included	9/16″	4X8	18
HD500-SWS-TMR-PZ	Sidewind	10″	10.50″	20.5″	16.8″	Tube	Male Included	5/8″	4X8	15.
HD500-SWL-TMR-PZ	Sidewind	15″	15.5″	30.5″	21.8″	Tube	Male Included	5/8″	4X8	18.
7,000 lbs. Support	t Capacity;	Tube Mo	unt Rour	nd; Fixed	Leg; Squ	ıare Jack				
Heavy Duty 7,000 lb Toplated inner tube & fo										
HD700-TWL-TMR-PZ	Topwind	15″	12.125″	27.125″	22.7″	Tube	Female Included	5/8″	6X8	21
HD700-SWL-TMR-PZ	Sidewind	15″	11.75″	27.75″	24.75″	Tube	Female Included	5/8″	6X8	24.8
HD700-SWS-TMR-PZ	Sidewind	10″	11.00″	21.00″	17.5″	Tube	Female Included	5/8″	6X8	18.4
HD700-SWL-TMR-PZ	Sidewind	15″	11.75″	27.75″	24.75″	Tube	Female Included	5/8″	6X8	
							Included			
8,000 lbs. Support Heavy Duty, Drop Leg <i>i</i>	t Capacity J /Direct Weld, 8	ack; Dir ,000 lb To	ect Weld p and Sidev	; Drop Le wind, 10" &	e g (13.5 ″ / 15" Travel,	Addl.) Sq with heavy	Included uare Jack		6X8	24.8
8,000 lbs. Support Heavy Duty, Drop Leg, coated outer tube, zin	t Capacity J /Direct Weld, 8	ack; Dir ,000 lb To	ect Weld p and Sidev	; Drop Le wind, 10" &	e g (13.5 ″ / 15" Travel,	Addl.) Sq with heavy	Included uare Jack		6X8	24.
8,000 lbs. Support Heavy Duty, Drop Leg/ coated outer tube, zin HD800-TWL-DW-DL-PZ	t Capacity J /Direct Weld, 8 c plated inner	ack; Dir ,000 lb To tube & foo	ect Weld p and Sidev ot, 13.50" of	; Drop Le vind, 10" & f additional	e g (13.5" / 15" Travel, drop leg e:	Addl.) Sq with heavy ktension.	Included uare Jack duty foot. E	Slack powe	6X8 der	24.8
8,000 lbs. Support Heavy Duty, Drop Leg/ coated outer tube, zin HD800-TWL-DW-DL-PZ	t Capacity J /Direct Weld, 8 c plated inner Topwind Sidewind	ack; Dir ,000 lb To tube & foo 15"	ect Weld; p and Sidev ot, 13.50" of 21.5" 24.125"	; Drop Le wind, 10" & f additional 50.5" 52.625"	e g (13.5" / 15" Travel, drop leg e: N/A N/A	Addl.) Sq with heavy ktension. Direct Weld Direct Weld	Included uare Jack duty foot. E None None	Black powe	6X8 der 6X8	24.4
8,000 lbs. Support Heavy Duty, Drop Leg, coated outer tube, zin HD800-TWL-DW-DL-PZ HD800-SWL-DW-DL-PZ	t Capacity J /Direct Weld, 8 c plated inner Topwind Sidewind ort Capacity Sidewind, 15"	ack; Dire ,000 lb To tube & foo 15" 15" Jack; Tu Travel witl	p and Sidevot, 13.50" of 21.5" 24.125" ube Mour	; Drop Le wind, 10" & f additional 50.5" 52.625" nt Round; n tubular m	eg (13.5" A 15" Travel, drop leg e: N/A N/A	Addl.) Sq with heavy ktension. Direct Weld Direct Weld eg; Squar	Included uare Jack duty foot. E None None e Jack	Black powd N/A N/A	6X8 der 6X8	24.8 24.8 25.4
8,000 lbs. Support Heavy Duty, Drop Leg, coated outer tube, zin HD800-TWL-DW-DL-PZ HD800-SWL-DW-DL-PZ 10,000 lbs. Suppo Heavy Duty, 10,000Lb	t Capacity J /Direct Weld, 8 c plated inner Topwind Sidewind ort Capacity Sidewind, 15"	ack; Dire ,000 lb To tube & foo 15" 15" Jack; Tu Travel witl	p and Sidevot, 13.50" of 21.5" 24.125" ube Mour	; Drop Le wind, 10" & f additional 50.5" 52.625" nt Round; n tubular m	eg (13.5" A 15" Travel, drop leg e: N/A N/A	Addl.) Sq with heavy ktension. Direct Weld Direct Weld eg; Squar	Included uare Jack duty foot. E None None e Jack	Black powd N/A N/A	6X8 der 6X8	24.8 24.8 25.4
8,000 lbs. Support Heavy Duty, Drop Leg, coated outer tube, zin HD800-TWL-DW-DL-PZ HD800-SWL-DW-DL-PZ 10,000 lbs. Suppo Heavy Duty, 10,000Lb tube, zinc plated inner HD1000-SWL-TMR-PZ	Topwind Sidewind Sidewind, 15" Tube & foot, w	ack; Dire ,000 lb Tol tube & foo 15" 15" Jack; Tu Travel with vith 3/4" p	p and Sidevot, 13.50" of 21.5" 24.125" Libe Mour h welded or in and chair	; Drop Le wind, 10" & f additional 50.5" 52.625" at Round; n tubular m n.	eg (13.5" A 15" Travel, drop leg e: N/A N/A Fixed Le count, with l	Addl.) Sq with heavy ktension. Direct Weld Direct Weld eg; Squar neavy duty	Included uare Jack duty foot. E None None e Jack foot. Black Male Included	N/A N/A powder co	6X8 der 6X8 6X8 oated ou	24.8 24.8 25.8
8,000 lbs. Support Heavy Duty, Drop Leg, coated outer tube, zin HD800-TWL-DW-DL-PZ HD800-SWL-DW-DL-PZ 10,000 lbs. Suppo Heavy Duty, 10,000Lb tube, zinc plated inner	Topwind Sidewind Sidewind Topacity Sidewind, 15" Tube & foot, w Sidewind Ort Capacity Victor Capacity Capacity Capacity Ort Capacity Cort Capacity Cort Capacity Cort Capacity Cort Capacity Cort Capacity Cort Capacity	ack; Dir ,000 lb Top tube & foo 15" 15" Jack; Tu Travel with vith 3/4" p 15" Jack; Di 2,000Lb S	p and Sidevot, 13.50" of 21.5" 24.125" Libe Mour h welded or in and chair 12.4" irect Weldidewind, 12	yind, 10" & f additional 50.5" 52.625" TROUND; n tubular mn. 27.4" d; Drop L	eg (13.5" A 15" Travel, drop leg es N/A N/A ; Fixed Le sount, with l 25" eg (13.5" with heavy	Addl.) Sq with heavy ktension. Direct Weld Direct Weld eg; Squar neavy duty Tube	None None Plack foot. Black Male Included	N/A N/A powder co	6X8 der 6X8 6X8 oated ou 8.3 X 7.5	24.8 24.8 25.4 25.4

ROUND JACK LINE


An economic alternative to our Square Jack.

Northfield No.	Type of Wind	Length of Travel	Retracted Length	Extended Length	Overall Retracted Length	Mounting Style	Mounting Bracket	Pin Size	Foot Size	Wi
2,000 & 5,000 Lbs. Support Capacity Jack; Tube Mount Round; Fixed Leg; Round Jack										
2,000 lb capacity, Top an Matching male mount in								foot.		
RD200-TWS-TMR-PZ	Topwind	10″	11.0″	21.0″	15.00″	Tube	Male	9/16″	4X8	11.
RD200-TWL-TMR-PZ	Topwind	15″	14.5″	29.5″	18.5″	Tube	Male	9/16″	4X8	14
RD200-SWS-TMR-PZ	Sidewind	10″	10.75	20.75	14.75	Tube	Male	9/16″	4X8	12
RD200-SWL-TMR-PZ	Sidewind	15″	14.25	29.25	18.25	Tube	Male	9/16″	4X8	15
RD500-TWS-TMR-PZ	Topwind	10″	11.0″	21.0″	15.00″	Tube	Male	9/16″	4X8	12
RD500-TWL-TMR-PZ	Topwind	15″	14.5″	29.5″	18.5″	Tube	Male	9/16″	4X8	15
RD500-SWS-TMR-PZ	Sidewind	10″	10.75	20.75	14.75	Tube	Male	9/16″	4X8	13
RD500-SWL-TMR-PZ	Sidewind	15″	14.25	29.25	18.25	Tube	Male	9/16″	4X8	16
2,000 Lbs. Support	Capacity	Jack; Sı	wivel / Mo	ount W/R	etaining	Ring; Fix	ed Leg; F	Round Ja	ack	
2,000 lb capacity, Top an assembly, less mount. B							t with 3/8"	plunger pi	n	
RD200-TWS-RRSM-PZ	Topwind	10″	11.75″	21.75″	15.0″	Swivel	Weld-On	3/8″ Pin	4X8	12
RD200-TWL-RRSM-PZ	Topwind	15″	15.25″	30.25″	18.5″	Swivel	Weld-On	3/8″ Pin	4X8	15
A-Frame 2,000 & 5,0	000 Lbs. S	upport (Capacity	Jack; W/	Bolt-On	Or Weld-	On Supp	ort Plate)	
2,000 & 5,000 lb capacity and zinc plated inner tub		15" Travel	, Round A-F	rame jack	with Weld-0	On/Bolt Bra	ıcket. Black	painted c	outer tube,	
AFRD200-TWL-WBB-PZ	Topwind	15″	7.25″	22.25″	24.5″	N/A	Weld-On Bolt-On	N/A	Not Included	9.
AFRD500-TWL-WBB-PZ	Topwind	15″	7.25″	22.25″	24.5″	N/A	Weld-On Bolt-On	N/A	Not Included	10

SQUARE JACK FEATURES INCLUDE:

- Heavy 12 gauge Square tubing that is stronger than the traditional round jack
- All Square Jacks dramatically improve side load strength
- Powder coated outer-tube and zinc-plated inner- tube. Other options available upon request
- All mounts are included with all jacks
- Drain hole on all jacks eliminate water retention
- Precision rolled ACME threaded inner screw
- Ergonomic handle
- Grease fittings are standard on all side wind jacks
- Hardened wear washer
- Heavy duty thrust bearings

DIAGRAM OF MEASUREMENTS



© NORTHFIELD INDUSTRIES 4 JACKS CATALOG 2016 © NORTHFIELD INDUSTRIES 5

MANUFACTURING SUPERIOR JACKS

TONGUE JACKS





TONGUE JACKS







© NORTHFIELD INDUSTRIES 6 JACKS CATALOG 2016 © NORTHFIELD INDUSTRIES 7 JACKS CATALOG 2016

MORE THAN A PRODUCT LINE, MORE THAN PRECISION MACHINING, NORTHFIELD OFFERS YOU A TOTAL SOLUTION.

TOTAL SOLUTIONS®



ON TIME SHIPMENT

Northfield guarantees 100% on time delivery of our products. We offer free delivery if your product is not shipped on time.



30 DAY SAFETY STOCK GUARANTEE

Northfield maintains a 30 day safety stock on the shelf for our customers. We will work with you to determine your requirements for production and delivery.



90 DAY PRICE GUARANTEE

Northfield will provide a 90 day price guarantee on all quotes. In today's fast moving markets, we stand by our quotes and offer our customers the most economical solutions.



24 HOUR RESPONSE TIME FOR ISSUES


Northfield guarantees the quality of its products and services. We have sales reps, engineers and customer service personnel on-call to respond to your questions. Northfield stands by its products and services, and we will respond within 24 hours regarding any issues.



FAST TRACK ONBOARDING PROGRAM

Northfield's Fast Track Program offers our customers a way to minimize their "pain points" with a new supplier. Our Fast Track Program is designed to help your various departments including engineering, purchasing and administration deal with issues ranging from initial engineering to account setup to shipping and invoicing.

© NORTHFIELD INDUSTRIES 9 JACKS CATALOG 2016



CONNECTING ENGINEERS

Let our engineering talent be an extension of your company. We will work seamlessly with your engineering department to provide expedited solutions for new and existing products. We can provide prototyping and capabilities studies to help move you quickly to the production phase.


WE WORK WITH YOUR SYSTEM

Northfield can accommodate ASN, EDI, bar coding and portal requirements to facilitate your system needs.

OUR FAST TRACK KIT

We will supply you a Kit, including the forms to onboard Northfield as your Total Solutions supplier.





LISTEN TO WHAT OUR CLIENTS HAVE TO SAY ABOUT US.



"Northfield Industries has been a long time supplier who understands our needs and requirements. Their quality, cost, and delivery management is exceptional and helped them win the Supplier of Excellence Award for the (3rd) consecutive year."



"Northfield is a people-oriented company. They communicate well with us, which is a rare thing these days."

- Vermeer

- Unicarriers



"I have a very high opinion of Northfield, as do others within CNH. Manufacturing these parts is a science, and Northfield has figured it out."

- CNH



"If I had 100 suppliers like Northfield, I could go to sleep each night and know all would be well."

– Bush Hog

© NORTHFIELD INDUSTRIES

13

JACKS CATALOG 2016

LET NORTHFIELD BE YOUR CONTRACT PRECISION MACHINING HEADQUARTERS. OUR IN-HOUSE CAPABILITIES INCLUDE: Turning Milling Boring Grinding Welding Flame Cutting Assembly

CAPABILITIES TO DELIVER CUSTOMIZED SOLUTIONS.

PRECISION MACHINING

Northfield offers a comprehensive range of precision machining services. We go beyond precision machining: Our goal is to become an extension of your team, from engineering, to prototypes, to production runs, we will perform flawlessly. Northfield will make your precision parts from as large as 17,000 lbs, to parts that fit into the palm of your hand. Our equipment is modern, fast and precise, with tolerances as tight as 0.0002 inches.



HUBS AND SPINDLES

Northfield produces a complete line of Hubs and Spindles for the Agricultural Equipment market and the Industrial Equipment market. Our comprehensive line ranges from 20 bolt hubs with 50,000lb capacity, down to 4 bolt hubs with 1,000lb capacity, and everything in between. We produce all spindles and carry all bearings, seals and other components to complete this line.



JACKS

Northfield offers a complete line of square and round tongue Jacks. Our capacity ranges from 2,000lb to 12,000lb support. Special orders according to custom dimensions and surface treatment are welcome.



© NORTHFIELD INDUSTRIES

JACKS CATALOG 2016

JACK WARRANTIES



Northfield Square Jack Warranty

Northfield Industries, LLC warrants that it's Square Jack Product Line will be free from defects in material and workmanship for a period of three (3) years under normal use and service. Northfield will, at it's option, repair or replace, free of charge, any part or parts found not to comply with this warranty. This warranty does not cover the following: damage through abuse, misuse, neglect, or an accident; damage from misapplication, overloading, or improper installation; improper maintenance; normal wear and tear; or any alterations to the jack.


Replacement of the jack or jack parts is the purchaser's sole remedy of this or any other warranty, whether express or implied. Northfield Industries LLC shall not be liable for service or labor charges incurred in the removal or replacement of the product, or for any incidental or consequential damage of any kind.

Round Jack Warranty

Northfield Industries LLC warrants that it's Round Jack Product Line will be free from defects in material and workmanship for a period of (60) days from the date of sale by Northfield. This warranty does not cover the following: damage through abuse, misuse, neglect, or an accident; damage from misapplication, overloading, or improper installation; improper maintenance; normal wear and tear; or any alterations to the jack. Replacement of the jack or jack part's is the purchaser's sole remedy of this or any other warranty, whether express or implied. Northfield Industries, LLC shall not be liable for any service or labor charges, or for any incidental or consequential damage of any kind.

A PRECISION MACHINING COMPANY FOCUSED ON THE AGRICULTURAL IMPLEMENT AND INDUSTRIAL EQUIPMENT MARKETS.

Contact Us





847-755-9900

koliver@northfieldind.com

Memberships

Proud member of FEMA, the Farm Equipment Manufacturers Association and NAM, the National Association of Manufacturers





Certifications



ISO 9001:2008 Certified Company



AS9100:2009 Revision C Certified Company



ISO 9001:2008 Certified Company

© NORTHFIELD INDUSTRIES 16 JACKS CATALOG 2016 © NORTHFIELD INDUSTRIES 17 JACKS CATALOG 2016

NOTES